



**INTERNATIONAL CONFERENCE ON  
FOOD SCIENCE AND TECHNOLOGY**

# **THE CHALLENGE OF UNIVERSAL FOOD QUALITY AND SAFETY REGIME**

THEATRE ROOM,  
3<sup>RD</sup> FLOOR OF  
THOMAS AQUINAS BUILDING,  
SOEGIJAPRANATA  
CATHOLIC UNIVERSITY,  
SEMARANG, INDONESIA

ON:  
THURSDAY AND FRIDAY,  
31 JULY AND 1 AUGUST 2008

**PROCEEDING  
BOOK**

**ISBN : 978-979-1268-36-3**



**UNIKA**  
UNIVERSITAS KATOLIK  
SOEGIJAPRANATA

Jl. Pawiyatan Luhur IV/1 Bender Duriw Semarang 50234  
Telp. 024-8441555 (hunting) Fax. 024-8445265. 8415429  
e-mail : unika@unika.ac.id http : //www.unika.ac.id





## POSTER

TITLE/AUTHOR	CODE
<i>Aspergillus flavus</i> Growth was Essential in Gathotan Fermentation, but Aflatoxin was not Produced <b>Umi Purwandari, Hani S. El-Nezami, Ann C. Lawrie</b>	P - 02
The Influence of Improperly used Frying Oil on Lipid Metabolism in Rats <b>Ambar Rukmini</b>	P - 03
Addition of Docosa Hexaenoic Acid and Arachidonic Acid into Food Formula to Improve the Intellectual Development of Severe Malnourished Children <b>Astuti Lamid, Komari</b>	P - 05
Potential of <i>Ipomoea batatas</i> L. Ethanol Extract in Lowering Blood Glucose Level in Diabetic Mice <b>Evhy A., Khotib J., Taufik Hidayat M., Zulkhairi A., Mokhlas MAM., Andang M.</b>	P - 07
<i>Theobroma cacao</i> Extract Blocks Stress Induced Hypotension in Rats <b>Farah Idayu N., Taufik Hidayat M., Zulkhairi A., Hasnah B., Sharida F., Che Norma M.T., Moklas M.A.M., Khairul Kamilah A.K., Evhy A.</b>	P - 08
Nutritional Composition and Toxicity Study of <i>Anacardium occidentale</i> Linn. using Brine Shrimp Lethality Test <b>Fazali F., Zulkhairi A., Hasnah B., Khairul-Kamilah AK., Khairunnuur FA., Nursakinah I., Kamal NH., Zamree MS., Shahidan MA.</b>	P - 09
Effect of Different Smoking Process on Smoked Sarden Quality <b>Fronthea Swastawati, Sutanto, Eko Susanto</b>	P - 10
The Influence of RMU (Rice Milling Unit) Parameter to the Rice Quality <b>Henry Herawati</b>	P - 12
Various Chicken Extract on Brine Fermentation to Produce Salt Soy Sauce by using Inoculum of <i>Aspergillus oryzae</i> <b>Yetti Mulyati Iskandar, Agustine Susilowati, Aspiyanto</b>	P - 14
Germinated Brown Rice as a Potential Hypocholesterolemic Agent <b>Khairul Kamilah A.K., Zulkhairi A., Azrina A., Norhaizan M.E., Maznah I., Hasnah B., Sakinah I., Taufik Hidayat M., Mokhlas M.A.M., Khairunnuur F.A., Fazali F.</b>	P - 15
Table of Nutrients Composition of Indonesian Foods <b>Komari</b>	P - 16
Antioxidant Activities of Cider and Jelly of Mangosteen Pericarp <b>Mery Tambaria D. Ambarita, Herry Cahyana, Meylysa</b>	P - 17



<p>Toxicity Assessment of Three Different Types of <i>Mitragyna speciosa</i> Extracts using Brine Shrimp Screening Test</p> <p><b>Mokhlas M.A.M., Adib Ridzuan N.R., Taufik Hidayat M., Zulkhairi A., Nasir F.I., Abdul Rahman S., Fakurazi S.</b></p>	P - 18
<p>Phytate, Iron, Zinc, Calcium Contents and Their Molar Ratios in Selected Raw and Prepared Foods Commonly Consumed in Malaysia</p> <p><b>Norhaizan Mohd. Esa, Nor Faizadatul Ain Ab Wahid</b></p>	P - 20
<p>Storage Stability of <math>\beta</math> - Carotene on Cassava Noodle Enriched with Yellow Pumpkin during Storage</p> <p><b>Supriyanto</b></p>	P - 21
<p>Rheological Properties of Exopolysaccharides Produced by <i>Streptococcus thermophilus</i> Strains and Their Role in Creation of Yoghurt Texture</p> <p><b>Umi Purwandari, Todor Vasiljevic</b></p>	P - 22
<p>Application of Computational Chemistry Method to Study the Antioxidant Activity of Vitamin E: Reactions of <math>\alpha</math>-Tocopherol with the Hydroperoxy Radical</p> <p><b>Zaky Al-Fatony, Syahrul Khairi, Wurcak Wongkwai, Nathaya Selphusit, Hanggara Sudrajat</b></p>	P - 23
<p>Proteolytic Activity of <i>Aspergillus</i> sp-K3 in Recovery of Amino Acids as Savory Fraction through Brine Fermentation on Vegetable Broth of Mung Beans (<i>Phaseolus radiatus</i> L.)</p> <p><b>Agustine Susilowati, Aspiyanto, Yati Maryati</b></p>	P - 24
<p>Performance of Ultrafiltration Membrane in Concentrating Lactobacillus Acid Bacteria (LAB) Produced from Mung Beans (<i>Phaseolus radiatus</i> L.) as Probiotic Vegetable Broth</p> <p><b>Aspiyanto, Agustine Susilowati, Yati Maryati</b></p>	P - 25
<p>The Antioxidative Effect of <i>Anacardium occidentale</i> Linn. (AO) Leaf Aqueous Extract in Oxidised Huvec Cell Lines</p> <p><b>M. Kamal N.H., Taufik Hidayat M., Zulkhairi A., Moklas M.A.M., Hasnah B., Khairul Kamilah A.K., Khairunnuur F.A., Fazali F., Nur Amalina I., Nur Izzati M.N.</b></p>	P - 26
<p>Effect of <i>Theobroma cacao</i> on Mice Exposed to Forced Swim Test (TST) and Tail Suspension Test (TST)</p> <p><b>Taufik Hidayat M., Farah Idayu N., Zulkhairi A., Moklas M.A., Hasnah B., Sharida F., Khairul Kamilah A.K., Evhy A.</b></p>	P - 27
<p>A Study of GMP (Good Manufacturing Practices) Implementation in Cooling, Cutting, and Packaging Process at a "Lapis Legit" Industry in Semarang</p> <p><b>Alfonsus Dwianto Wibowo, Fifi Sutanto-Darmadi, Inneke Hantoro</b></p>	P - 28



18	Food Security Survey and Environmental Pest Management in Hamadan Province, Iran <i>Mahdi Reyahi Khoram</i>	P - 30
20	The Effects of Palm Oil Addition and Meat Washing on the Quality Properties of Low-Fat Duck Sausage <i>Nurul Huda, Noryati Ismail, Muhammad Syahmi, Muthia Dewi</i>	P - 32
21	The Effect of Thickening Agents on the Textural Properties of Guava Fruit Leather <i>Devi Anggraini, Kristina Ananingsih, Inneke Hantoro</i>	P - 33
22	Optimization of Headspace Gas Chromatography with Flame Ionization Detector (HS/GC-FID) for the Analysis of Benzene in Beverages <i>Dyah Styarini and Oman Zuas</i>	P - 34
23	Good Manufacturing Practice Model for Ganyong Starch Sme at Gunungkidul, Yogyakarta <i>Crescentiana D. Poeloengasih, Prima Ditahardiyani</i>	P - 35
24	Antioxidative Effects of <i>Anacardicum occidentale</i> Linn. in Diabetic Rats <i>Zulkhairi A., Nur Amalina I., Taufik Hidayat M., Moklas M.A.M., Hasnah B., Khairul Kamilah A.K., Khairunnuur F.A., Fazali F., M. Kamal N.H., Nur Izzati M.N</i>	P - 36

SESSION



## A STUDY OF GMP (Good Manufacturing Practices) IMPLEMENTATION IN COOLING, CUTTING AND PACKAGING PROCESS AT A "LAPIS LEGIT" INDUSTRY IN SEMARANG

Alfonsus Dwianto Wibowo<sup>1)</sup>, Fifi Sutanto-Darmadi<sup>2)</sup>, Inneke Hantoro<sup>2)</sup>

<sup>1)</sup> Student of the Department of Food Technology, Faculty of Agricultural Technology,  
Soegijapranata Catholic University

<sup>2)</sup> Lecturer of the Department of Food Technology, Faculty of Agricultural Technology,  
Soegijapranata Catholic University

### ABSTRACT

Nowadays, facing the tight competition of food industries, the fulfillment of food quality must be well considered. To produce a food product with good quality and safety, certain system of quality management, like GMP should be applied. In bakery industries, especially in a "lapis legit" industry at Semarang, serious concern should be given at production process after baking. Processes after baking have high probability of contamination, especially fungi contamination which can recontaminate the product. The purpose of this research is to design an applicable GMP, especially on cooling process, cutting and packaging of the final product. This research was conducted in three ways, which included field observation, data analysis process and GMP development. Field observation supported by a microbiology test to quantify the number of fungi which present in the air, final product and employee's hand. From the field observation process, design of room layout, production process and employee's hygiene give high probability of final product's recontamination, especially by fungi. Although the application of GMP equipment has been done, development should be made to ensure decreasing of recontamination probability of the final product. Design of a clear separating wall between cooling and cutting room, the adding of one new room (employee's and equipment's cleaning room), simplification of employees movement flow are among of GMP applications that should be developed to reduce the spreading of fungi throughout the air. Description of a clear equipment maintenance, alongside with the requirement of several changes and equipments addition, which are used to prevent the contamination of fungi through equipments. At last, contamination prevention which possible to happen from the employees is done with hygiene regulation correction, focuses mainly on hand cleanliness. Finally, GMP application which will be developed must also be followed with the increase of the awareness of all employees.

**Keywords:** Food safety, GMP, "lapis legit", fungi.

### INTRODUCTION

Food products that have been submitted to an adequate heat treatment during processing are generally free of vegetative microbial cells and, depending on the intensity of the heat treatment, of spore forming cells. In bakery industries, baking process is the process which automatically destroy most of microbial contamination. In "lapis legit" industry, fungi is the main concern, as the implication of its intermediate food product characteristics. If the manufacturer doesn't put a concern in processes after baking, recontamination can occur easily. Dangerously, there are no specific treatment, i.e. enough heat treatment given to the product for prevent this recontamination. That's why the processes after baking can be grouped as critical process. In the one of "lapis legit" industry in Semarang, the product handling process after baking is not well



enough, so the product becomes very susceptible from fungi contamination. Finally, decreasing quality of the final products is the impact which already happened.

### Aim Of This Research

In order to increase the final product quality, the research is focused to design an applicable GMP, especially on cooling process, cutting and packaging of the final product.

### MATERIAL AND METHODS




Figure 1. Methods of this research

From the microbiology testing in the final product and also in the surface of personnel's hand (using swab methods), can be said that the final product and personnel's hand relatively clean, especially from fungi contamination.

## DISCUSSION AND DEVELOPMENT

### Brief Introduction

"Lapis legit" contamination process, especially from fungi usually occurs after baking process. Cooling, cutting and packaging processes are the critical processes which recontamination usually occurs.

There are three main ways of contamination, i.e. air (Cauvain & Young, 2001), equipment (both make a contact and not make contact with the product) (Reij et al., 2005) and the human, who is the personnel (Smith et al., 2003). So, the effort for decreasing the fungi contamination should be focused in all that way.

Although the product, based on the microbiology testing of the product relatively clean, the change in the plant using GMP guidelines should be made. From the field observation process can be said that the contamination risk is still higher. Poor design of cooling area's layout, incorrect cooling process and poor behavior of the personnel (which noted in the field survey) are the reasons.

### Room Layout




Figure 4. Design of New Room Layout

Design of new room layout (especially cooling, cutting and packaging room) based on the applications of two basic principles:

Cooling and cutting room as a high risk areas


These areas must be designed well so can prevent contamination to the product, especially after the product past the baking process.

Limitation of personnel flow movement


Limitation of personnel flow movement, should be described to prevent contamination from human (personnel) body, included protective shoes, transportation equipment (in this case-trolley) (Codex Alimentarius Commission, 1999), and from dirty protective clothes (Marriott, 1997).



## Production process



(a)



(b)

Figure 5. New Mechanisms Process in Cooling (a) and Cutting and Packaging Process (b)

Modification of process mechanism hopefully can bring these changes:  
Establishment of environmental conditions which can prevent growth of the fungi.  
Increase of air quality, especially from numbers of fungi present.

## Equipment

Some suggestion, which should be made to more decrease the contamination risk, especially from the equipment to the products are:  
Improvement Cleaning Manager's role as a guarantor of all cleaning processes. In this case, this personnel should be completed with suitable checklist, to ensure all cleaning processes.



Describing of the maintenance processes. The industry have been conducted the cleaning processes very well, but forget of the importance of the maintenance processes, especially to maintain good conditions of the equipment.

General Cleaning processes, which clean all the high risk areas comprehensive is needed to be done routinely.

### **Personnel Hygiene**

Generally, the industry has been designing the personnel hygienic standards well. These standards surely designed to decrease the contamination risk, especially from the personnel. Some important matters, which should give more attention are:

Describing of the good hand-cleaning methods

Describing of the good hand-cleaning time

Describing of the disposable glove's wearing mechanisms.

### **Additional suggestion to the management**

All of these changes above will be very useless when the personnel didn't conduct the regulation well, which apparently found in the field awareness survey. In the fact, the industry has been establishing the regulation well, completed with suitable punishment and signs (i.e. hand-cleaning signs which can be found in the plant) but the personnel still do not obey the regulations. That's why the training activities should be made routinely. Training activities, especially in sanitation matter, should be planned and done well (UNIDO, 2005). This matter also should be added in the personnel's working regulations.

## **CONCLUSIONS**

In one of the "lapis legit" industry in Semarang, cooling, cutting and packaging processes are the critical processes which should given more attention. Lack of attention can result to decreasing of final product's quality, especially because of fungi contamination. The air, equipment and personnel's body are three main ways of fungi's spreading, which should given more attention.

Design of a clear separating wall between cooling and cutting room, the adding of one new room (employee's and equipment's cleaning room), simplification of employees movement flow are among of GMP applications that should be developed to reduce the spreading of fungi throughout the air.

Description of a clear equipment maintenance, alongside with the requirement of several changes and equipments addition, which are used to prevent the contamination of fungi through equipments.

Contamination prevention which possible to happen from the employees is done with hygiene regulation correction, focuses mainly on hand cleanliness.

## **REFERENCES**

- Cauvain, S. & L. Young. (2001). *Baking Problems Solved*. Woodhead Publishing Limited, Cambridge: England.
- Reij, M., E. van Asselt, J-L. Cordier and L. Gorris. (2005). *Recontamination As A Source Of Pathogens In Processed Foods -A Literature Review*. ILSI Europe Report Series: Belgium.



Retrieved from URL: <http://europe.ilsa.org/NR/rdonlyres/91B01E7B-17F4-4FB7-BD0E-C478C5508887/0/Recontaminationarticle.pdf>

Smith, J.P., D.P. Daifas, W. El-Khoury & J.W. Austin. (2003). Microbial Safety of Bakery Products. In Novak, J.S., G.M. Sapers & V.K. Juneja (eds). (2003). Microbial Safety of Minimally Processed Foods. CRC Press: United States of America.

Codex Alimentarius Commission. (1999). Recommended International Code of Practice General Principles of Food Hygiene: CAC/RCP 1-1969, Rev. 3 (1997), Amended 1999. Food and Agriculture Organization of The United Nations, World Health Organization. Retrieved from URL: <http://www.fao.org/docrep/005/Y1579E/y1579e02.htm>

Marriott, N.G.(1997).Essentials of Food Sanitation.International Thomson Publishing, New York.

UNIDO.(2005). Guidelines For Implementing GMP In Food Processing. United Nations Industrial Development Organization. Retrieved from URL: <http://www.unido.org/index.php?id=28>